

OSRGW4S2C1A

-Features

•Outline Dimension

3.5

2.2

(Ta=25°C)

(Ta=25°C)

2.8

- High Luminous PLCC4 Top SMD LEDs
- 3.5x2.8x1.9mm Standard Directivity
- UV Resistant Silicone
- Water Clear Type

Applications

- Toys
- Audio
- Games
- Other Lighting

Absolute Maximum Rating

Item	Symbol	Va	Unit	
пеш		Red	YG	Unit
DC Forward Current	$\mathbf{I}_{\mathbf{F}}$	30	30	mA
Pulse Forward Current#	\mathbf{I}_{FP}	100	100	mA
Reverse Voltage	VR	5	5	V
Power Dissipation	PD	78	78	mW
Operating Temperature	Topr	-30 ~ +85		°C
Storage Temperature	Tstg	-40~ +100		°C
Lead Soldering Temperature	Tsol	260°C/10sec		-

Directivity

1.9

2

ŻYG

3

0.8±0.3


1

☆Red

4

0.1Typ

3.2



2,4 Anode

1,3 Cathode Unit:mm

Tolerance:±0.20mm

unless otherwise noted

#Pulse width Max.10ms Duty ratio max 1/10

•Electrical -Optical Characteristics

Item	Symbol	Condition	Min.	Тур.	Max.	Unit
DC Forward Voltage*1	$V_F\left(\text{Red}\right)$	IF=20mA	-	2.1	2.6	V
	$V_{F}\left(YG\right)$	IF=20mA	-	2.1	2.6	V
DC Reverse Current	IR	V _R =5V	-	-	10	μA
Domi. Wavelength*2	$\lambda_D(\text{Red})$	IF=20mA	620	625	630	nm
	$\lambda_D(YG)$	I _F =20mA	565	570	575	nm
Luminous Intensity*3	Iv(Red)	I _F =20mA	100	150	-	mcd
	Iv(YG)	IF=20mA	45	60	-	mcd
50% Power Angle	201/2	I _F =20mA	-	120	-	deg

*1 Tolerance of measurements of forward voltage is±0.1V

*2 Tolerance of measurements of dominant wavelength is ±1nm

*3 Tolerance of measurements of luminous intensity is $\pm 15\%$

LED & Application Technologies












1.4

OSRGW4S2C1A

Soldering Conditions Reflow Soldering		Han	Hand Soldering		
Pre-Heat	180 ~ 200°C		350°C Max.		
Pre-Heat Time	120 sec. Max.				
Peak temperature	260°C Max.	Temperature	3 sec. Max.		
Dipping Time	10 sec. Max.	Soldering time	e (one time only)		
Condition	Refer to Temperature-profile		(-		

• Reflow Soldering Condition(Lead-free Solder)



*Recommended soldering conditions vary according to the type of LED

*Although the recommended soldering conditions are specified in the above table, reflow, or hand soldering at the lowest possible temperature is desirable for the LEDs.

*A rapid-rate process is not recommended for cooling the LEDs down from the peak temperature.


•All SMD LED products are pb-free soldering available.

• Occasionally there is a brightness decrease caused by the influence of heat or ambient atmosphere during air reflow. It is recommended that the User use the nitrogen reflow method.

• Repairing should not be done after the LEDs have been soldered. When repairing is unavoidable

double-head soldering iron should be used. It should be confirmed beforehand whether the characteristics of the LEDs will or will not be damaged by repairing.

- Reflow soldering should not be done more than two times.
- When soldering, do not put stress on the LEDs during heating.
- After soldering, do not warp the circuit board.






а




3.5x2.8x1.9mm Red & Yellow Green SMD LED

OSRGW4S2C1A

PACKING DIMENTIONS





Notes:

1. Unit: mm

2. 2000pcs/Reel





OSRGW4S2C1A

Precautions in Use for Surface Mount Diode

■ Storage

• Storage Conditions

Before opening the package:

The LEDs should be kept at 30°C or less and 60%RH or less. The LEDs should be used within a year. When storing the LEDs, moisture proof packaging with absorbent material (silica gel) is recommended.

• After opening the package:

Soldering should be done right after opening the package (within 24hrs).

Keeping of a fraction, sealing and Temperature: 5~30°C Humidity: Less than 30%.

If the package has been opened more than 24 Hours, components should be dried for 12hrs, at 60 ± 5 °C.

 \cdot Optosupply LED electrode sections are comprised of a silver plated copper alloy. The silver surface may be affected by environments which contain corrosive gases and so on. Please avoid conditions which may cause the LED to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the User use the LEDs as soon as possible.

 \cdot Please avoid rapid transitions in ambient temperature, especially in high humidity environments where condensation can occur.

LED & Application Technologies

