




- NOTES:
1. Rating: 150V 5A;
 2. Insulation Withstands Voltage: AC1300V/MIN
 3. Insulation Resistance: 500MΩ or more at DC500V
 4. Using Temperature Range: -40°C~+105°C
 5. "★" is the important dimension.



A		Total Pitch Tolerances										Nominal dimension range										—		//	
		in mm										in mm													
over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over
0	30	53	70	90	115	150	250	350	0	30	53	70	90	115	150	200	250	0	10	all	0	100	150	0	150
to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	
30	53	70	90	115	150	250	350	500	30	53	70	90	115	150	200	250	320	10	100	150	0.2	0.3	0.2	0.3	0.5
±0.18	±0.25	±0.30	±0.35	±0.40	±0.45	±0.60	±0.70	±0.85	±0.20	±0.25	±0.30	±0.35	±0.44	±0.55	±0.70	±0.80	±0.90	0.2	0.3	0.3	0.2	0.3	0.3	0.5	0.5
6												5												4	

ITEM	NAME OF PART	NO. OF PART	Q'TY	MATERIAL		NOTE			
DWG.	ZX	DATE	2020.12.11	SIZE	A4	UNITS	mm	SHEET/OF	1 / 1
CHK.		DATE		SCALE	2:1				
APP.		DATE		NAME	KSE-15EDGVC-2.50-XX				
				DWGNO.					



REV	CONTENT	CHK	DATE
V0.0	CONTENT	SK	2014-11-29

NOTES:

- Rating:300V 8A ,
- Insulation Withstands Voltage: AC2000V/MIN
- Insulation Resistance: 500MΩ or more at DC500V
- Using Temperature Range: -40℃--+105℃
- " " is the important dimension






PCB LAYOUT
S=3:1


SECTION:A-A

ITEM	NAME OF PART	NO. OF PART	Q'TY	MATERIAL	NOTE
DWG.	SK	DATE	2014-11-29	SIZE	A4, UNITS mm SHEET/OF 1 / 1
CHK.		DATE		SCALE	4:1
APP.		DATE		NAME	KSE-15EDGVC-3.50-XX
DWGNO.					

Total Pitch Tolerances		Nominal dimension range													
		in mm													
over	over	over	over	over	over	over	over	over	over	over	over	over	over	—	//
0	30	53	70	90	115	150	250	350	0	30	53	70	90	115	150
to	to	to	to	to	to	to	to	to	to	to	to	to	to	all	to
30	53	70	90	115	150	250	350	500	30	53	70	90	115	150	250
±0.18	±0.20	±0.25	±0.3	±0.35	±0.4	±0.60	±0.70	±0.85	±0.20	±0.25	±0.30	±0.35	±0.4	±0.55	±0.70
±0.18	±0.20	±0.25	±0.3	±0.35	±0.4	±0.60	±0.70	±0.85	±0.20	±0.25	±0.30	±0.35	±0.4	±0.55	±0.70
6															





KEEN SIDE




A												
Total Pitch Tolerances												
in mm												
over	over	over	over	over	over	over	over	over	over	over	over	over
0	30	53	70	90	115	150	250	350	0	30	53	70
to	to	to	to	to	to	to	to	to	to	to	to	to
30	53	70	90	115	150	250	350	500	30	53	70	90
±0.18	±0.25	±0.3	±0.35	±0.4	±0.60	±0.70	±0.85	±0.20	±0.25	±0.30	±0.35	±0.40
±0.5	±0.55	±0.70	±0.80	±0.90	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.5
Nominal dimension range												
in mm												
over	over	over	over	over	over	over	over	over	over	over	over	over
0	30	53	70	90	115	150	200	250	0	over	0	100
to	to	to	to	to	to	to	to	to	to	10	all	to
30	53	70	90	115	150	200	250	320	10		100	150
6												
5												
4												
3												
2												
1												
ITEM	NAME OF PART		NO. OF PART		Q-TY	MATERIAL		NOTE		A		
DWG.	SK		DATE		2014-11-29			SIZE	A4	UNITS	mm	SHEET/OF 1 / 1
CHK.	DATE				SCALE	4:1						
APP.	DATE				NAME KSE-15EDGVC-3.50-XX							
DWGNO.												

REV	CONTENT	CHK	DATE
VO.0	CONTENT	zx	2020.06.19

NOTES:
1.Rating:300V 8A,
2.insulation Withstands Voltage: AC2000V/MIN
3.insulation Resistance: 500MΩ or more at DC500V
4.Using Temperature Range: -40°C--+105°C
5."★" is the important dimension



SECTION:A-A



A		Total Pitch Tolerances										Nominal dimension range										—		—		//		
		in mm										in mm																
over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over	over
0	30	53	70	90	115	150	250	350	500	0	30	53	70	90	115	150	200	250	0	10	0	100	100	100	100	150	150	150
to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to	to
30	53	70	90	115	150	250	350	500	30	53	70	90	115	150	200	250	320	10	10	100	100	100	100	100	150	150	150	150
±0.18	±0.20	±0.25	±0.3	±0.35	±0.44	±0.60	±0.70	±0.85	±0.20	±0.25	±0.30	±0.35	±0.44	±0.55	±0.70	±0.80	±0.90	0.2	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.5
6												5						4										

ITEM	NAME OF PART	NO. OF PART	Q'TY	MATERIAL	NOTE
DWG.	zx	DATE	SIZE	A4	SHEET/OF 1 / 1
CHK.		DATE	SCALE	4:1	
APP.		DATE	NAME	KSE-15EDGVC-3.81-XX	
			DWGNO.		

