




Cell Box Series

KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG
BLACK & RED: 150 MM $\pm$ 5MM
STRIP & TIN: 5 MM $\pm$ 1MM
MATERIAL: A. B. S. RESIN BLACK COLOR
SPRING: .6 MM 65C SPRING WIRE
DESCR.: FOR Two "AAA" CELLS



ORDER INFORMATION

Product NO.: KLS5-818-B

Part Number
Cell Box Series




TYPE:
A: With Soldered lug
B: With Wire L=15cm or other
C: With 6 Prong snap
D: With Pin

FUSE AND FUSE HOLDER

Cell Box Series

KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG
BLACK & RED: 150 MM $\pm$ 5MM
STRIP & TIN: 5 MM $\pm$ 1MM
MATERIAL: A. B. S. RESIN BLACK COLOR
SPRING: .6 MM 65C SPRING WIRE
DESCR.: FOR Two "AAA" CELLS



ORDER INFORMATION

Product NO.: KLS5-818-A

Part Number
Cell Box Series




TYPE:
A: With Soldered lug
B: With Wire L=15cm or other
C: With 6 Prong snap
D: With Pin

FUSE AND FUSE HOLDER

Cell Box Series

KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG
BLACK & RED: 150 MM $\pm$ 5MM
STRIP & TIN: 5 MM $\pm$ 1MM
MATERIAL: A. B. S. RESIN BLACK COLOR
SPRING: .6 MM 65C SPRING WIRE
DESCR.: FOR Two "AAA" CELLS



ORDER INFORMATION

Product NO.: KLS5-818-C



Part Number
Cell Box Series

TYPE:
A: With Soldered lug
B: With Wire L=15cm or other
C: With 6 Prong snap
D: With Pin



Cell Box Series

KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG
BLACK & RED: 150 MM $\pm$ 5MM
STRIP & TIN: 5 MM $\pm$ 1MM
MATERIAL: A. B. S. RESIN BLACK COLOR
SPRING: .6 MM 65C SPRING WIRE
DESCR.: FOR Two "AAA" CELLS



PCB LAYOUT



ORDER INFORMATION

Product NO.: KLS5-818-D

Part Number
Cell Box Series

TYPE:
A: With Soldered lug
B: With Wire L=15cm or other
C: With 6 Prong snap
D: With Pin